

# products

## METAL DECK

Company	Products Offered	Product Descriptions
<b>A.C.T. Metal Deck Supply</b> <a href="http://www.metaldecksupply.com">www.metaldecksupply.com</a> <b>800.894.7741</b> (Chicago, St. Louis, Indianapolis, Kansas City, Mo., Fort Worth) <b>866.668.3325</b> (Knoxville, Greensboro, Jackson, Fla., Columbus)	<b>Metal Deck Distributor</b>	Distributor of steel floor, roof deck, and related products. All metal deck is available in all types, gauges, and finishes. Specialty products and a full line of accessories are also available.
<b>ASC Steel Profiles, Inc.</b> <a href="http://www.ascprofiles.com">www.ascprofiles.com</a> <a href="http://www.ascsd.com">www.ascsd.com</a> <b>800.360.2477</b>	<b>The DeltaGrip™ Tool</b>	A side seam attachment system that is a revolutionary alternative to welding. A lightweight and easy-to-use pneumatic tool that clutches the seams together in one-seventh the time of welding and includes a Go-No-Go gauge to ensure that each grip stacks up to its name. Installation is fast, safe, and consistent.
<b>Canam Steel Corporation</b> <a href="http://www.canam.ws">www.canam.ws</a> <b>508.238.4500</b> (Easton, Mass.) <b>301.874.5141</b> (Point of Rocks, Md.) <b>636.239.6716</b> (Washington, Mo.) <b>904.781.0898</b> (Jacksonville, Fla.) <b>509.837.7008</b> (Sunnyside, Wa.)	<b>Roof Deck 3615/3606</b>	Roll formed to cover 36" wide; flutes are 1.5" deep spaced 6" on center. Deck can be rolled to lengths from 6' to 42'-6".
	<b>Composite Deck 3615/3606</b>	Roll formed to cover 36" wide; flutes are 1.5" deep, spaced 6" center to center. Deck can be rolled from 6' to 42'-6" with enough space to weld headed studs through deck to top of beams/joists for composite action.
	<b>Composite Deck 3623/2432</b>	Roll formed to cover 24" wide; flutes are 2" to 3" deep, spaced 12" from center to center. Deck can be rolled from 6'-6" to 40' with enough space to weld headed studs through deck to top of beams/joists for composite action.
	<b>Form Deck 3012</b>	Roll formed to cover 30"; flutes are 9/16" deep and spaced at 2 1/2" center to center. Rolled to requested length or stocked in 20'-4" lengths to cover multi-spans of form deck.
<b>Curveline, Inc.</b> <a href="http://www.met-tile.com/curveline">www.met-tile.com/curveline</a> <b>888.998.0311</b>	<b>Crimp-curved B Deck and Crimp-curved N Deck</b>	Standard, nestable, perforated or acoustical panels can be crimp-curved into the desired radii and angles. The curving process increases panel strength, resulting in savings from reduced substrate and structural requirements.
<b>DACS, Inc.</b> <a href="http://www.dacsinc.com">www.dacsinc.com</a> <b>757.393.0704</b>	<b>Roof decks</b>	Include type A, B, F, J and H. Cellular roof decks are available also. Most decks are available in galvanized, prime painted gray or white.
	<b>Composite floor decks</b>	Include 1.5", 2", or 3" and are available galvanized. Cellular floor decks are also available.
	<b>Non-composite form decks</b>	Include 9/16" (S-deck), 7/8" (heavy duty) and B-inverted (1.5"). All are available in galvanized.
<b>D-MAC Industries, Inc.</b> <a href="http://www.d-macindustries.com">www.d-macindustries.com</a> <b>800.878.3622</b>	<b>Roof Deck</b>	Sections kept in stock for immediate shipment nationwide include Types A, B, F, and N in prime-painted or galvanized finishes, cut to any length.
	<b>Floor Deck</b>	Galvanized 1.5", 2", and 3" composite decks and 9/16", 15/16", 1 5/16", 1 1/2" and 2" non-composite floor decks are available cut to length from stock in gauges 16 to 28.
	<b>Bridge Form</b>	D-MAC produces 1.5", 2", 2.5", and 3" deep form sections in gauges 16 to 22 and pitches ranging from 5" to 10" with G-165, G-210, and G-235 galvanized coatings.
	<b>Deck Accessories</b>	D-MAC manufactures deck accessories such as closures, pour stops, and custom shapes, and supplies rubber closures, fasteners, and related items. Short lead times are standard practice for all products.

Company	Products Offered	Product Descriptions
<b>Hilti, Inc.</b> <a href="http://www.us.hilti.com">www.us.hilti.com</a> 800.879.8000	<b>Hilti DX 860-HSN &amp; DX 860-ENP Powder Actuated Deck Fastening Systems</b>	The Hilti DX 860-ENP and DX 860-HSN Powder-Actuated Fastening Systems are ideal for attaching metal deck to steel or bar joist on high-production projects, driving up to 1000 fasteners per hour.
	<b>Hilti DS-KC Hand Held Gas Saw</b>	The Hilti DS-KC Hand Held Gas Saw provides exceptional cutting performance with speed and comfort ideal for cutting metal decking, as well as concrete, brick and block, or drywall track.
	<b>Hilti Ductile Diamond Blades</b>	The Hilti Super Premium line of ductile diamond blades are available in 12-inch and 14-inch diameters and are designed for long-life cutting of metal decking, ductile pipe, and drywall track.
	<b>10-volt Hilti ST 1800 Adjustable Torque Screwdriver with SDT 25 Decking Tool</b>	The Hilti ST 1800 can be used alone or with the Hilti SDT 25 for fastening deck sidelaps and attaching metal deck to thin bar joists while standing comfortably.
<b>MBI Products Company, Inc.</b> <a href="http://www.mbiproducts.com">www.mbiproducts.com</a> 216.431.6400	<b>Acoustical products</b>	MBI manufactures acoustical products of all types and provides insulation for perforated acoustical metal-deck flutes. Insulation is available in different thicknesses and densities, and comes in rolls or pieces.
<b>Metal Dek Group™, a unit of Consolidated Systems, Inc.</b> <a href="http://www.metaldesk.com">www.metaldesk.com</a> 800.DEKDSGN	<b>Roof Decks</b>	Standard and architectural deck systems and accessories.
	<b>Floor Decks</b>	Standard and architectural deck systems and accessories.
	<b>Form Decks</b>	Full line including accessories.
	<b>Bridge Decks</b>	Full line including accessories
<b>New Millennium Building Systems</b> <a href="http://www.joist-deck.com">www.joist-deck.com</a> 260.868.6000	<b>Roof Deck</b>	Attached to steel joists or beams and used as support for roof coverings. Available in a galvanized or prime painted finish.
	<b>Form Deck</b>	Attached to steel joists or beams and used as forms for poured concrete platforms. Available in a galvanized or prime painted finish (1" depth or less, galvanized only).
	<b>Composite Deck</b>	Attached to steel joists or beams and used in conjunction with shear studs to form a composite floor system. Available in a galvanized or uncoated top/painted bottom finish.
<b>Nucor Vulcraft</b> <a href="http://www.vulcraft.com">www.vulcraft.com</a> 435.734.9433 (Brigham City, Utah) 607.529.9000 (Chemung, N.Y.) 843.662.0381 (Florence, S.C.) 936.687.4665 (Grapeland, Texas) 402.644.8500 (Norfolk, Neb.) 260.337.1800 (St. Joe, Ind.)	<b>Steel Deck, Steel Joists, and Joist Girders</b>	Nucor Vulcraft Group is the nation's largest producer of steel deck, steel joists, and joist girders. Vulcraft also works with highly engineered products like composite floor joists. Vulcraft supplies products for a wide range of structures. Vulcraft products are made from more than 90 percent recycled materials and have been essential elements in green buildings.
<b>Pneutek, Inc.</b> <a href="http://www.pneutek.com">www.pneutek.com</a> 800.431.8665	<b>Pneutek AIR/SAFE Fastening System for Steel Deck</b>	The only system in the world capable of fastening into unlimited thicknesses of structural steel. The AIR/SAFE pneumatic design is safe and economical and is the fastest deck attachment system available.
	<b>Pneutek AIR/SAFE Fastening System for Truck/Trailer Flooring</b>	The system is a fast, powerful, reliable, and economical method for attaching truck/trailer, container and modular building wood floors to steel and aluminum substrates without pre-drilling saving time and money.
<b>Roof Deck, Inc.</b> <a href="http://www.roofdecking.com">www.roofdecking.com</a> 609.448.6666	<b>Roof and Floor Deck Products</b>	Complete manufacturer of roof and floor deck products. Delivery is fast, and most items can be manufactured in just one day.

# products

## METAL DECK

Company	Products Offered	Product Descriptions
<b>Steel Deck Institute</b> <a href="http://www.sdi.org">www.sdi.org</a> 847.458.4647	<b>Steel Floor and Roof Deck Trade Association</b>	The trade association for manufacturers of steel floor and roof decks, and related products. The SDI provides industry guidelines for engineering design, manufacture and field use of steel decks. SDI also prepares, reviews, and distributes literature, and liaisons with construction-industry associations on matters of common interest.
<b>United Steel Deck, Inc.</b> <a href="http://www.njb-united.com">www.njb-united.com</a> 908.277.1617 800.631.1215	<b>Roof Deck</b>	1.5" (B & F) & 3" (N) roof deck. Finishes include gray or white primer, G30, G60 & G90 galvanized and special paint coatings. Acoustic treatment is available. See catalog for options.
	<b>Composite Deck</b>	1.5" (B Lok & Lok Floor), 2" & 3" (Lok Floor) composite deck. Finishes include phos/painted, galvanized, and galvanized plus primer finishes. See catalog for options.
	<b>"Deep Deck" Roof Deck</b>	"Deep Deck" roof deck profiles in 4.5", 6" & 7.5" depths. Finishes include galvanized, galvanized plus primer finishes, and special paint coatings. Acoustic treatment is available; thicknesses to 10 gage on type LS. See catalog for options.
	<b>Cellular Roof and Floor Decking</b>	1.5", 2", 3", 4.5", 6" and 7.5"-deep acoustic and non-acoustic are available. Finish options include galvanized, galvanized plus primer finish, and special paint coatings. Fiberglass insulation batts are shop installed when acoustic.
<b>Verco Manufacturing Co.</b> <a href="http://www.vercodeck.com">www.vercodeck.com</a> 602.272.1347	<b>Floor Deck</b>	Verco FormLok composite floor decks are offered in 1½, 2", and 3" depths. Verco also manufactures 1½" Deep Vercor and ¾" ShallowVercor non-composite form decks.
	<b>Roof Deck</b>	Verco developed the revolutionary ShearTranz® systems for roof deck diaphragms, available for both the 1½" deep HSB-36 and the 3" deep N-24 profiles.
	<b>PunchLok® system</b>	Achieves high shear values through economical, high-quality side-seam attachments. The PunchLok® system was tested on all Verco™ interlocking products. Testing included 1½" deck pinned to supports. With a variety of attachment and finish options, Verco offers flexibility to combine systems, minimize construction time, and maximize savings.
<b>Wheeling Corrugating Company</b> <a href="http://www.wheelingcorrugating.com">www.wheelingcorrugating.com</a> 304.234.2332	<b>Roofing and Siding</b>	Our painted and roofing products come in seven distinctive profiles. Each comes in a variety of colors. Tough enough to handle light commercial applications and handsome enough for residential installations.
	<b>Decking Products</b>	Composite floor deck, steel roof deck, form deck, and bridge form.
	<b>Highway Products</b>	Culvertcote®, Culvertcote® with Trenchcoat, and Culvertcote Plus II® galvanized and aluminized steel sold to companies that make culvert pipe.
	<b>Painted Coil Products</b>	Wheeling has added another technically advanced coil coating line. This new system, along with our well established double coat paint line, dramatically increases the availability of our premium quality coil.